

SPECIALTY COLLECTION

POOL BY JEFFREY COURT

CHAPTER OUTLINE

**Introduction**

Create the outdoor oasis of your dreams, with Jeffrey Court's first pool tile and hardscaping collection, Pool by Jeffrey Court. This collection gets its inspiration from famous waterfront destinations across the world. Acknowledging the tranquility of water and serenity of nature and how it brings us together.

Featuring beautiful glass mosaics and one-of-a-kind decorative cut pavers Pool by Jeffrey Court was developed with an innovative vision. Allowing designers and homeowners to recreate their favorite beach vacation in their own backyard. Resort-living at its finest.

Key Features

Pool by Jeffrey Court features an array of glass mosaics and porcelain pavers that allow you to create the perfect outdoor oasis.

1. Glass Mosaics

In keeping with theme, we named each of the mosaic colors after ports from around the world: Auckland, Kotor, Mo'orea, Neko, Venice, and Waimea. Auckland, a combination of light grey shades; Kotor, a vibrant turquoise; Mo'orea, a beautiful light blue; Neko, a bright white; Venice, creamy shades; and Waimea, a dramatic black.

- The mosaic patterns include:
 - Stack Brick - a traditional brick pattern.
 - Stack Brick Blend - a brick pattern with marbled glass accents.
 - 7/8" Triangle - Mini triangles.
 - 5/8" Herringbone - a mini herringbone pattern.
- Each feature a combination of matte, gloss, and iridescent finishes.

Finishing Pieces

To complete your pool installation, we are offering two finishing options.

1. Our Stack Brick, Stack Brick Blend, and 7/8" Triangle mosaics can be cut in half to create 6" borders. For the 5/8" Herringbone pattern, we created a Herringbone Border with straight top and bottom edges perfect for finishing your designs without cutting in half.
2. To finish off outer edges, V-caps are available as special order item in eleven different color options that coordinate with the colors of our mosaics.

3. Pavers

Porcelain

Our porcelain pavers are perfect for replicating a concrete or limestone look. Available in four colors: Dust, an off-white color, Pewter, a light grey, Slate, a smooth cool grey, Ashes, a grey with a hint of copper speckles, and Tan, the perfect beige-cream look.

Also available are one-of-a-kind decorative pavers in three different patterns: Scale, Diamond, and Brick. They can be used individually or combined for more creative installations. They are available in all five colors.

Traditional 24" x 24" square pavers are also available and can be combined with our decorative pavers.

Terrazzo

Four 16" x 16" terrazzo pavers are also part of this collection. They are available in Spirits, an off-white base with white, black, and rust-colored aggregate; Bourbon, an off-white base with white, grey, & taupe aggregate; Gibson, a light grey base with grey and white aggregate; and Vermouth, a charcoal grey base with grey and large white aggregate.

Application

Please reference the Application Chart for Pool by Jeffrey Court on our website, JeffreyCourt.com, for more details on recommended applications.

Testing

Product specifications are listed on each product-specific web page on JeffreyCourt.com. If available, testing results for applicable products can be found in the chapter catalog for easy reference.

Installation Tips

- To achieve your desired look, Jeffrey Court recommends that you inspect and confirm the tile and layout prior to installation. It is highly recommended to blend products from multiple cartons to ensure a proper uniform look.
- For specific item-by-item shade variation rating, please reference each product specific web page on JeffreyCourt.com
- When installing the glass tiles...
 - We recommend using a high-quality, white thinset to avoid any staining or color alterations. A grout color closest to the hue of the tile is always the best option!
 - A high-performance penetrating sealer is also recommended and should be used before and after grouting.
 - Glass tiles should be cut with a high-quality diamond blade, always with the face up. Cut edges should be sanded to minimize sharpness.

- Pavers can be installed...
 - On various substrates. Some suggested options include raised paving systems, laying on grass, laying on sand or laying on gravel.
 - For terrazzo pavers, a waterproofing membrane should be used when moisture is present. As always, the waterproofing manufacturer's instructions should be followed.

- Appointing a professional tile setter for installation with the expertise of a qualified and detail-oriented mechanic is recommended. This will ensure that the investment made to procure this product is also teamed with a proper installation.

For specific installations instructions please visit the collection page on our website.

⚠ WARNING: This product can expose you to chemicals including crystalline silica which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

DANGER Can cause serious injury to eyes, skin, & respiratory tract or allergic reaction. Repeated inhalation of respirable crystalline silica may cause cancer. **KEEP OUT OF REACH OF CHILDREN.** When cutting product wear a NIOSH approved respirator. Contains portlant cement: avoid contact with skin & eyes. Wash contaminated clothing before reuse. **FIRST AID:** If swallowed, inhaled, or skin irritation occurs get medical attention. If on skin: wash with plenty of water. If in eyes: rinse cautiously with water for several minutes. Remove contact lenses and continue rinsing. Dispose of in accordance with local, state, and federal regulations. For more information, see the SDS at www.jeffreycourt.com.

Merchandising

The marketing and merchandising of this collection is supported by montage boards, touch boards, and A&D sample cards. All of these point of purchase materials are accompanied by the Pool by Jeffrey Court catalog. Showroom installation and loose sample pieces can also be ordered at a discounted price.

Visit us at, JeffreyCourt.com, to gain inspiration on the design possibilities offered with Pool by Jeffrey Court.